

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE
STATEMENT (PTO 1449)ATTORNEY DOCKET NO.
13365.0019USWOU.S. APPLICATION SERIAL NO.
10/566,445CONFIRMATION NO
5159

FILING DATE

August 21, 2006

INVENTOR(S)

Sergio BODINI et al.

EXAMINER

Satyendra K. SINGH

GROUP ART UNIT

1657

TITLE OF APPLICATION

METHOD FOR THE DETECTION OF COLIFORMS AND IN PARTICULAR ESCHERICHIA COLI

U.S. PATENT PUBLICATION DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
A	5,518,894	5/21/1996	BERG			
B	5,292,644	3/8/1994	BERG			
C	4,925,789	5/15/1990	EDBERG			
D	5,210,022	5/11/1993	ROTH et al.			
E	5,849,515	12/15/1998	GRANT			

FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES	NO
F	EP 0 574 977 A1	12/22/1993	EP				
G	WO 89/04372	5/18/1989	WO				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

H	TRYLAND et al., "Early warning of faecal contamination of water: a dual mode, automated system for high- (<1 hour) and low-levels (6-11 hours)," Water Sci & Tech, Vol. 43, No. 12, pgs. 217-220 (Abstract Only) (2001).
I	FARNLEITNER et al., "Rapid enzyme detection of <i>Escherichia coli</i> contamination in polluted river water," Lett. in Appl. Microbiol., Vol. 33, No. 3, pp. 246-250 (2001).
J	BRENNER et al., "New Medium for the Simultaneous Detection of Total Coliforms and <i>Escherichia coli</i> in Water," Appl. Env. Microbiol., Vol. 59, No. 11, pp. 3534-3544 (1/1993).
K	VAN POUKE et al., "Limitations of Highly Sensitive Enzymatic Presence-Absence Tests for Detection of Waterborne Coliforms and <i>Escherichia coli</i> ," Appl. Env. Microbiol., Vol. 63, No. 2, pp. 771-774 (1997).
L	NEIDHARDT et al., "Culture Medium for Enterobacteria," J. of Bacteriology, Vol. 119, No. 3, pgs. 736-747 (9/1974).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /SS/

EXAMINER	DATE CONSIDERED
/Satyendra Singh/	11/18/2009

EXAMINER: Initial if the reference is considered, whether or not the citation is in conformance with MPEP 609. Draw a line through the citation if it is not in conformance and it is not considered. Include a copy of this form with the next communication to the Applicant.